



**JUVENILE AUTOMATED SUBSTANCE ABUSE EVALUATION
PASS41 DEVELOPMENT**

DATE: 5/13/2011
NAME: JASAE EXAMPLE
ID NUMBER: 2323
AGE: 9
SEX: male

LIVING STATUS: mother
EMPLOYMENT: student
EDUCATION: 3 years
EDUCATIONAL STATUS: in school part-time

The following report should be viewed as a series of hypotheses which may require further investigation. Individuals interpreting this evaluation should be knowledgeable in substance abuse problems and possess screening and assessment skills.

NOTE: This JASAE Report is for a male client. Therefore, the program normative data reported is for males only. For female clients, program normative data for females is reported. Total norms are based on your program assessment sample of 103.

Note: There is evidence that this person may lack the necessary skills, to not only read and understand the questions contained in this survey, but to evaluate his behavior and the consequences of it. Further investigation is warranted.

TEST TAKING ATTITUDE

Range	<u>0-7</u>	<u>8-11</u>	<u>12-17</u>	<u>18-23</u>	<u>24-26</u>	<u>27+</u>
Total (Avg. = 21.25)	1%	8%	24%	29%	8%	27%
Males (Avg. = 21.06)	1%	9%	24%	30%	9%	25%

This person's Test Taking Attitude (TTA) score is 13.

Range: 12 - 17 This person's Test Taking Attitude score suggests that he does not appear to feel a need to misrepresent himself on the survey or during an interview.

LIFE CIRCUMSTANCE EVALUATION

Range	<u>0.0-3.59</u>	<u>3.6-4.99</u>	<u>5.0-6.49</u>	<u>6.5-7.99</u>	<u>8.0+</u>
Total (Avg. = 7.03)	2%	3%	18%	48%	26%
Males (Avg. = 7.01)	3%	4%	18%	48%	25%

This person's Life Circumstance Rating (LCR) is 1.8.

LCE II This person's low Life Circumstance Ratings suggests the possibility of considerable stress or instability in his life. Further investigation is warranted focusing on items listed at the end of this report under the heading "Low or Unusual Life Circumstance Ratings".

DRINKING EVALUATION CATEGORY

Level	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>
Total (Avg. = 2.57)	50%	0%	12%	15%	21%
Males (Avg. = 2.61)	48%	0%	13%	16%	21%

CATEGORY 5 Individuals in this category clearly identify with the clinical, behavioral or social symptoms commonly associated with psychological, or physical dependence on alcohol.

alcohol addiction evaluation

Some evidence of withdrawal from alcohol is present. Further investigation is warranted.

DRUG USE EVALUATION

Level	<u>0-2</u>	<u>3-4</u>	<u>5-6</u>	<u>7-8</u>	<u>9-10</u>	<u>11-12</u>	<u>13-14</u>	<u>15+</u>
Total (Avg. = 6.21)	31%	4%	4%	29%	5%	23%	0%	0%
Males (Avg. = 6.38)	28%	5%	5%	30%	6%	23%	1%	0%

DRUG USE LEVEL 5 This person reports drug use behavior which is associated with symptoms suggesting either psychological or physical addiction to drugs.

RECOMMENDED INTERVENTIONS

Range	<u>0-19</u>	<u>20-29</u>	<u>30-39</u>	<u>40-49</u>	<u>50-59</u>	<u>60-69</u>	<u>70-79</u>	<u>80-89</u>	<u>90+</u>
Total (Avg. = 29.02)	34%	18%	18%	7%	13%	5%	0%	0%	0%
Males (Avg. = 29.74)	32%	19%	19%	8%	13%	6%	1%	0%	0%

This person's Summary Score is 59.

An in-depth follow-up interview is recommended.

This person identifies with behavior and symptoms associated with both a drinking and drug use problem. Although alcohol has most recently been used, cross dependence may need to be evaluated. This recent use of alcohol indicates the possibility for detoxification should be considered.

Suggested DSM-IV Classification based on reported drug of choice: 303.90 Alcohol Dependence

He reports his most frequently used drug as alcohol and reports his last use of it yesterday.

Suggested DSM-IV Classification without drug(s) of choice identified: undefined

Note: This person reports regular drug use. See "drug use issues" at the end of this report.

SUBSTANCE ABUSE REFERRAL

<u>Level</u>	<u>0</u>	<u>I</u>	<u>II</u>	<u>III</u>	<u>IV</u>
Total (Avg. = 1.26)	26%	19%	23%	9%	0%
Males (Avg. = 1.3)	23%	20%	24%	10%	0%

LEVEL III Medical monitoring is suggested because of this person's apparent substance abuse addiction, his history of substance abuse treatment, and his current emotional and/or environmental vulnerability. (ASAM III.5-III.7)

Note: Investigation of this person's home-life is warranted to determine if this individual may be experiencing, or may have experienced emotional or physical abuse.

POSSIBLE AREAS OF CONCERN

- BAC** Refused
- 2** Alcohol/drug related arrests
- 2** Alcohol/drug treatment(s)
- Q21.** 1 day(s) a week, I will have at least one drink.
- Q19.** Drink to relax.
- Q28.** Drink when depressed.
- Q29.** Fear of going crazy.
- Q35.** Family/friends have complained about my drinking.
- Q41.** I drink to calm down when I am angry.
- Q45.** My drinking keeps me or has kept me from being as effective as I would like.
- Q60.** Drinking has caused problems with family/friends.
- Q87.** Drink by myself to hide how much I drink.
- Q92.** Hands shake after heavy drinking.
- Q98.** Tend to get into trouble whenever I drink.

drug use symptoms

- Q62.** 1 day(s) a week, I will try/use drugs.
- Q24.** My drug use keeps or has kept me from being as effective as I would like.
- Q37.** I have abused social or prescription drugs.
- Q69.** I feel guilty about my drug use.
- Q73.** My parents believe I am screwing up my life because of my drug use.
- Q96.** I have tried to stop using drugs, but started using again.

LOW OR UNUSUAL LIFE CIRCUMSTANCE RATINGS

- Q58.** I haven't been treated fairly by my parents.
- Q77.** I have been physically or sexually abused.
- Q5.** School status rating is 3
- Q8.** Living status rating is 1
- Q10.** Employment status rating is 2
- Q12.** Self appearance rating is 2
- Q22.** Current social life rating is 2
- Q33.** Ability to handle stress is 1
- Q44.** Rating of my life at this time is 2
- Q57.** Current dating situation rating is 2
- Q68.** Feelings about future rating is 2
- Q80.** Current family life rating is 2
- Q90.** Rating of how I feel about myself at this time is 1

Drugs used (lifetime)

- alcohol
- sedatives

Copyright © 2011, ADE Incorporated