



SUBSTANCE ABUSE/LIFE CIRCUMSTANCE EVALUATION SURVEY PASS41 DEVELOPMENT

DATE: 7/15/2011
NAME: SALCE EXAMPLE
ID NUMBER: 987654321

AGE: 18
SEX: male
RACE: white

MARITAL STATUS: never married
EMPLOYMENT: employed
EDUCATION: 1 years
INCOME: \$0-5,000

The following report should be viewed as a series of hypotheses which may require further investigation. Individuals interpreting this evaluation should be knowledgeable in substance abuse problems and possess screening and assessment skills.

NOTE: This SALCE Report is for a male client. Therefore, the program normative data reported is for males only. For female clients, program normative data for females is reported. Total norms are based on your program assessment sample of 108.

TEST TAKING ATTITUDE

<u>Range</u>	<u>0-7</u>	<u>8-11</u>	<u>12-17</u>	<u>18-23</u>	<u>24-26</u>	<u>27+</u>
Total (Avg. = 21.62)	1%	3%	26%	31%	12%	23%
Males (Avg. = 22.5)	0%	4%	24%	29%	15%	26%

This person's Test Taking Attitude (TTA) score is 15.

Range: 12 - 17 This person's Test Taking Attitude score suggests that he does not appear to feel a need to misrepresent himself on the test or during an interview.

LIFE CIRCUMSTANCE EVALUATION

<u>Range</u>	<u>0.0-3.59</u>	<u>3.6-4.99</u>	<u>5.0-6.49</u>	<u>6.5-7.99</u>	<u>8.0+</u>
Total (Avg. = 5.8)	13%	11%	34%	31%	9%
Males (Avg. = 6.13)	8%	10%	31%	38%	11%

This person's Life Circumstance Rating (LCR) is 1.78.

LCE II This person's low Life Circumstance Rating suggests the possibility of considerable stress or instability in his life. Items listed at the end of this report under the heading "Low or Unusual Life Circumstance Ratings" indicate areas of concern.

DRINKING EVALUATION CATEGORY

<u>Level</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>
Total (Avg. = 3.39)	25%	1%	13%	23%	35%
Males (Avg. = 3.31)	29%	2%	10%	24%	33%

CATEGORY 5 Individuals in this category clearly identify with the clinical, behavioral or social symptoms commonly associated with middle to late stage alcoholism.

alcohol addiction evaluation

This person identifies with symptoms suggesting loss of control over alcohol consumption. Some evidence of tolerance to alcohol is present. Some evidence of withdrawal from alcohol is present.

DRUG USE EVALUATION

<u>Level</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>
Total (Avg. = 2.9)	28%	23%	10%	4%	33%
Males (Avg. = 2.83)	31%	20%	11%	4%	31%

DRUG LEVEL 5 This person reports drug abuse problems suggesting either psychological dependence on drugs or physical addiction to them.

This person's responses suggest no use or experimentation with drugs but he then reports some use of drugs. Verification may be needed.

RECOMMENDED INTERVENTIONS

<u>Range</u>	<u>0-19</u>	<u>20-29</u>	<u>30-39</u>	<u>40-49</u>	<u>50-59</u>	<u>60-69</u>	<u>70-79</u>	<u>80-89</u>	<u>90+</u>
Total (Avg. = 28.33)	55%	1%	12%	5%	15%	9%	0%	0%	0%
Males (Avg. = 27.02)	56%	2%	12%	4%	17%	5%	0%	0%	0%

This person's Summary Score is 58.

This person identifies with behavior and symptoms associated with both a drinking and drug use problem. Cross dependence appears likely. His recent use of alcohol and other drugs indicate a need to evaluate the possibility for detoxification.

Suggested DSM-IV Classification based on reported drug of choice: 304.10 Sedative, Hypnotic, or Anxiolytic Dependence

- he reports his most frequently used drug as sedatives and reports his last use of it yesterday

Suggested DSM-IV Classification based on second drug of choice: 303.90 Alcohol Dependence

- he reports his second most frequently used drug as alcohol and reports his last use of it within the past week

SUBSTANCE ABUSE REFERRAL

<u>Level</u>	<u>0</u>	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
Total (Avg. = 1.28)	32%	27%	5%	21%	0%
Males (Avg. = 1.22)	33%	29%	4%	18%	0%

LEVEL III Medical monitoring is suggested because of this person's apparent substance abuse addiction and his history of substance abuse treatment, and his current emotional and/or environmental vulnerability. (ASAM III.5-III.7)

Note: This person's low Life Circumstance Rating may be related to his use of alcohol and/or drugs.

POSSIBLE AREAS OF CONCERN

- BAC = (refused)
- 1 alcohol/drug-related arrests
- 2 felony arrests(s)
- 2 alcohol/drug treatment(s)
- drink to relax
- drink five out of seven days a week
- drunk a fifth or equivalent of beer or wine in 1 day
- fear of going crazy
- family/friends have complained about my drinking
- blackouts
- i have been in counseling for emotional problems
- i feel guilty about my drinking
- spouse or children have been in counseling
- attended/thought of attending AA
- my spouse/friend threatened to leave because of my drinking
- tried to stop drinking, but couldn't
- hide the fact i have been drinking
- morning relief drinking
- lost job because of drinking

drug use issues

- i have tried or experimented with social drugs
- i have tried social drugs in the past 2 years
- i have abused social or prescription drugs
- i feel guilty about my drug use
- i have tried to stop using drugs, but started using again

LOW OR UNUSUAL LIFE CIRCUMSTANCE RATINGS

- marital status rating is 2
- employment status rating is 2
- physical health status rating is 2
- current social life rating is 2
- ability to handle stress is 1
- rating of my life at this time is 1
- current family life rating is 2
- rating of how i feel about myself at this time is 2
- current legal situation rating is 2
- financial situation rating is 2

Copyright © 2011, ADE Incorporated