

SALCE

SUBSTANCE ABUSE/LIFE CIRCUMSTANCE EVALUATION 4.01W

ADE Incorporated
P. O. Box 660
Clarkston, MI 48347

DATE: 10/01/2005

I.D.#: 1234567890

NAME: SALCE EXAMPLE

AGE: 28 SEX: M

EDUCATION : 10 YRS.

MARITAL STATUS :SEPARATED

EMPLOYMENT : PART-TIME

INCOME : 5K to 10K

RACE : WHITE

(Total norms are based on your program assessment sample of 531)

The following report should be viewed as a series of hypotheses which may require further investigation. Individuals interpreting this evaluation should be knowledgeable in substance abuse problems and possess screening and assessment skills.

TEST TAKING ATTITUDE

Range	0-7	8-11	12-17	18-23	24-26	27+
Total (Avg.= 20.66)	5%	6%	22%	30%	14%	23%
Males* (Avg.= 20.88)	4	6	24	29	12	25

This Person's TTA Score is 31

Range TTA 27 or greater

This person's Test Taking Attitude score reflects a strong attempt to appear in a favorable manner. This report and any interview material should be carefully reviewed from the position that this individual may have a very naive appraisal of these circumstances, and/or an insincere attitude toward them.

*NOTE: This SALCE Report is for a male client; therefore, the program normative data reported is for males only. If the client is female, program normative data for females is reported.

Copyright © 1995, ADE Incorporated
Ver 4.01W 10/98

NAME: SALCE EXAMPLE

I.D.#: 1234567890

LIFE CIRCUMSTANCE EVALUATION

Range	0-3.5	3.6-5.0	5.1-6.5	6.6-8.0	8.1-9.0
Total (Avg.= 6.80)	3%	9%	25%	46%	18%
Males (Avg.= 6.90)	1	10	23	47	19

This person's Life Circumstance Rating is 8.67

LCE I

This person's high Life Circumstance Ratings may suggest a strong desire to present a favorable impression of his/her life situation, or a naive or unrealistic appraisal of it.

DRINKING EVALUATION CATEGORY

Categories	1	2	3	4	5
Total (Avg.= 3.55)	15%	3%	20%	35%	27%
Males (Avg.= 3.63)	14	3	16	37	29

CATEGORY 5

Individuals in this category clearly identify with the clinical, behavioral or social symptoms commonly associated with middle to late-stage alcoholism.

ALCOHOL ADDICTION EVALUATION

This person identifies with symptoms suggesting tolerance to alcohol.

DRUG USE EVALUATION

Levels	1	2	3	4	5
Total (Avg.= 2.41)	32%	30%	17%	7%	14%
Males (Avg.= 2.37)	34	29	16	6	14

DRUG LEVEL 5

This person reports drug abuse problems suggesting either psychological dependence on drugs or physical addiction to them.

NAME: **SALCE EXAMPLE**

I.D.#: 1234567890

RECOMMENDED INTERVENTIONS

Ranges		10	20	30	40	50	60	70	80	90+
Total (Avg.= 23.15)		20%	40%	14%	13%	7%	3%	1%	0%	0%
Males (Avg.= 23.60)		19	41	15	13	7	3	2	0	0

SUMMARY SCORE = 48

THIS PERSON IDENTIFIES WITH BEHAVIOR AND SYMPTOMS ASSOCIATED WITH BOTH A DRINKING AND DRUG USE PROBLEM. CROSS DEPENDENCE APPEARS LIKELY. HIS RECENT USE OF ALCOHOL AND OTHER DRUGS INDICATE A NEED TO EVALUATE THE POSSIBILITY FOR DETOXIFICATION.

SUGGESTED DSM-IV CLASSIFICATION BASED ON REPORTED DRUG OF CHOICE.

303.90 Alcohol Dependence.

HE reports HIS most frequently used drug as ALCOHOL and reports HIS last use of it YESTERDAY.

SUGGESTED DSM-IV CLASSIFICATION BASED ON SECOND DRUG OF CHOICE.

304.30 Cannabis Dependence.

HE reports HIS second most frequently used drug as MARIJUANA and reports HIS last use of it YESTERDAY.

*** SUBSTANCE ABUSE REFERRAL ***

Levels		0	I	II	III	IV
Total (Avg.= 1.07)		26%	46%	24%	5%	0%
Males (Avg.= 1.11)		24	45	26	5	0

LEVEL 11c REFERRAL TO INTENSIVE OUTPATIENT TREATMENT IS RECOMMENDED AFTER THE NEED FOR DETOXIFICATION HAS BEEN ADDRESSED. (ASAM II.5)

NOTE: There is evidence to suggest that this person may have a naive or un-cooperative attitude regarding the seriousness of his/her inappropriate or irresponsible use of alcohol or drugs. This attitude may reflect an immaturity in this person's problem-identification and decision-making abilities.

NAME: **SALCE EXAMPLE**

I.D.#: 1234567890

POSSIBLE AREAS OF CONCERN

BAC= .21

2 alcohol/drug related arrests.

1 accident(s)

9 driving points

1 felony arrest(s)

Drink to relax.

Family/friends have complained about my drinking.

I feel guilty about my drinking.

Drinking has caused problems with family/friends.

Spouse or children have been in counseling.

My spouse/friend threatened to leave because
of my drinking.

Neglected obligations because of drinking.

Lost job because of drinking.

DRUG USE ISSUES

I have tried social drugs in the past 2 years.

I have abused social or prescription drugs.

My family/friends have complained about my drug use.